

Sample Result: PASS

| | |
|--------------------|---------------------------------|
| Date Reported: | 10/23/2025 |
| Client Name: | Hudson Valley Canna |
| Sampling Location: | White Sulphur Springs, New York |
| Contact Name: | Michael Schur |
| Contact Email: | mschur@methodconstruction.us |
| License Number: | OCM-PROC-24-000077 |
| Medical/Adult Use: | Adult Use |
| Sampling Date: | 10/15/2025 10:55:00 AM |

| | |
|-------------------|-------------------------|
| Sample ID: | 20251015-HVCN-021 |
| Sample Name: | SlapThatAss SR 3.5G Jar |
| Sample Matrix: | Flower |
| Sample Sub Type: | Raw Flower |
| Package ID: | |
| Batch Lot ID: | STA2024SR-3.5 |
| Batch Size: | 3200 |
| Serving Size (g): | 3.5 |

| | | | | | | | |
|----------------|---|-----------------|---|--------------------------|---|------------|---|
| Potency | T | Pesticides | P | Heavy Metals | P | Mycotoxins | P |
| Water Activity | P | Microbiological | P | Residual Solvents | - | Terpenes | P |
| | | Moisture | P | Filth & Foreign Material | P | | |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

| Cannabinoids: SlapThatAss SR 3.5G Jar (20251015-HVCN-021) | | | |
|--|--------|------------|-------------|
| Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY) | | | |
| Analyte | % w/w | mg/serving | MRL (% w/w) |
| CBDV | < MRL | < MRL | 0.093 |
| CBDA | < MRL | < MRL | 0.093 |
| CBGA | 0.624 | 21.834 | 0.093 |
| CBG | < MRL | < MRL | 0.093 |
| CBD | < MRL | < MRL | 0.093 |
| THCV | < MRL | < MRL | 0.093 |
| CBN | < MRL | < MRL | 0.093 |
| D9-THC | 1.480 | 51.804 | 0.093 |
| D8-THC | < MRL | < MRL | 0.093 |
| D10-THC-S | < MRL | < MRL | 0.093 |
| D10-THC-R | < MRL | < MRL | 0.093 |
| CBC | < MRL | < MRL | 0.093 |
| THCA | 22.760 | 796.604 | 0.093 |
| MRL = Minimum reporting limit/limit of quantification mg/serving = % w/w x 10 x serving size weight (g) Reported on a dry-weight basis based on the calculation: (wet sample % x 100)/(100 - %MC) | | | |
| Test ID: #152477 Date Tested: 10/21/2025 08:07 AM | | | |

| Potency Summary | % w/w | mg/serving |
|---|--------|------------|
| Total THC [$\Delta 8\text{-THC} + \Delta 9\text{-THC} + \Delta 10\text{-THC} + (\text{THCA} * 0.877)$] | 21.441 | 750.426 |
| Total CBD [CBD + (CBDA * 0.877)] | < MRL | < MRL |
| Total Cannabinoids | 24.864 | 870.241 |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Terpenes: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene | 0.13 | 0.06 |
| Camphene | < MRL | 0.06 |
| Sabinene | < MRL | 0.06 |
| beta-Pinene | 0.10 | 0.06 |
| beta-Myrcene | 0.10 | 0.06 |
| Alpha-phellandrene | < MRL | 0.06 |
| Carene | < MRL | 0.06 |
| alpha-terpinene | < MRL | 0.06 |
| p-Cymene | < MRL | 0.06 |
| Limonene | 0.40 | 0.06 |
| Eucalyptol | < MRL | 0.06 |
| Ocimene | < MRL | 0.04 |
| gamma-Terpinene | < MRL | 0.06 |
| Sabinene Hydrate | < MRL | 0.06 |
| Terpinolene | < MRL | 0.06 |
| Linalool | 0.13 | 0.06 |
| Fenchol | < MRL | 0.06 |
| Menthol | < MRL | 0.06 |
| Terpineol | < MRL | 0.06 |
| Citronellol | < MRL | 0.06 |
| Isopulegol | < MRL | 0.06 |
| Geraniol | < MRL | 0.06 |
| Alpha-cedrene | < MRL | 0.05 |
| Beta-Caryophyllene | 0.29 | 0.06 |
| Farnesene | < MRL | 0.06 |
| alpha-Humulene | 0.10 | 0.06 |
| Valencene | < MRL | 0.06 |
| cis-Nerolidol | < MRL | 0.02 |
| trans-Nerolidol | < MRL | 0.04 |
| Caryophyllene oxide | < MRL | 0.06 |
| Guaiol | 0.10 | 0.06 |
| alpha-Bisabolol | < MRL | 0.06 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #152480 | Date Tested: 10/21/2025 12:13 PM

| Terpenes Summary | Result | Limit | Pass/Fail |
|-------------------------------|--------|-------|-----------|
| Total Terpenes (% w/w) | 1.36 | 10 | PASS |



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Pesticides: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin | PASS | < MRL | 0.50 | 0.100 |
| Acephate | PASS | < MRL | 0.40 | 0.100 |
| Acequinoxy | PASS | < MRL | 2.00 | 0.100 |
| Acetamiprid | PASS | < MRL | 0.20 | 0.100 |
| Aldicarb | PASS | < MRL | 0.40 | 0.100 |
| Azadirachtin | PASS | < MRL | 1.00 | 0.250 |
| Azoxystrobin | PASS | < MRL | 0.20 | 0.100 |
| Bifenazate | PASS | < MRL | 0.20 | 0.100 |
| Bifenthrin | PASS | < MRL | 0.20 | 0.100 |
| Boscalid | PASS | < MRL | 0.40 | 0.100 |
| Captan | PASS | < MRL | 1.00 | 0.500 |
| Carbaryl | PASS | < MRL | 0.20 | 0.100 |
| Carbofuran | PASS | < MRL | 0.20 | 0.100 |
| Chlorantraniliprole | PASS | < MRL | 0.20 | 0.100 |
| Chlordane | PASS | < MRL | 1.00 | 0.100 |
| Chlorfenapyr | PASS | < MRL | 1.00 | 0.100 |
| Chlormequat chloride | PASS | < MRL | 1.00 | 0.100 |
| Chlorpyrifos | PASS | < MRL | 0.20 | 0.100 |
| Clofentezine | PASS | < MRL | 0.20 | 0.100 |
| Coumaphos | PASS | < MRL | 1.00 | 0.100 |
| Cyfluthrin | PASS | < MRL | 1.00 | 0.100 |
| Cypermethrin | PASS | < MRL | 1.00 | 0.100 |
| Daminozide | PASS | < MRL | 1.00 | 0.100 |
| Diazinon | PASS | < MRL | 0.20 | 0.100 |
| Dichlorvos | PASS | < MRL | 1.00 | 0.100 |
| Dimethoate | PASS | < MRL | 0.20 | 0.100 |
| Dimethomorph | PASS | < MRL | 0.20 | 0.100 |
| Ethoprophos | PASS | < MRL | 0.20 | 0.100 |
| Etofenprox | PASS | < MRL | 0.40 | 0.100 |
| Etoxazole | PASS | < MRL | 0.20 | 0.100 |
| Fenhexamid | PASS | < MRL | 1.00 | 0.100 |
| Fenoxy carb | PASS | < MRL | 0.20 | 0.100 |
| Fenpyroximate | PASS | < MRL | 0.40 | 0.100 |
| Fipronil | PASS | < MRL | 0.40 | 0.100 |
| Flonicamid | PASS | < MRL | 1.00 | 0.100 |
| Fludioxonil | PASS | < MRL | 0.40 | 0.100 |
| Hexythiazox | PASS | < MRL | 1.00 | 0.100 |
| Imazalil | PASS | < MRL | 0.20 | 0.100 |
| Imidacloprid | PASS | < MRL | 0.40 | 0.100 |
| Indole-3-butyric acid | PASS | < MRL | 1.00 | 0.250 |
| Kresoxim-methyl | PASS | < MRL | 0.40 | 0.100 |
| Malathion | PASS | < MRL | 0.20 | 0.100 |
| Metalaxyl | PASS | < MRL | 0.20 | 0.100 |
| Methiocarb | PASS | < MRL | 0.20 | 0.100 |
| Methomyl | PASS | < MRL | 0.40 | 0.100 |
| Methyl Parathion | PASS | < MRL | 0.40 | 0.100 |
| Mevinphos | PASS | < MRL | 1.00 | 0.100 |
| MGK-264 I/II | PASS | < MRL | 0.20 | 0.100 |
| Myclobutanil | PASS | < MRL | 0.20 | 0.100 |
| Naled | PASS | < MRL | 0.50 | 0.100 |
| Oxamyl | PASS | < MRL | 1.00 | 0.100 |
| Paclobutrazol | PASS | < MRL | 0.40 | 0.100 |
| Pentachloronitrobenzene | PASS | < MRL | 0.40 | 0.100 |
| Permethrins, total | PASS | < MRL | 0.20 | 0.100 |
| Phosmet | PASS | < MRL | 0.20 | 0.100 |
| Piperonyl butoxide | PASS | < MRL | 2.00 | 0.100 |
| Prallethrin | PASS | < MRL | 0.20 | 0.100 |
| Propiconazole | PASS | < MRL | 0.40 | 0.100 |
| Propoxur | PASS | < MRL | 0.20 | 0.100 |
| Pyrethrins | PASS | < MRL | 1.00 | 0.100 |
| Pyridaben | PASS | < MRL | 0.20 | 0.100 |
| Spinetoram, Total | PASS | < MRL | 1.00 | 0.100 |
| Spinosad, Total | PASS | < MRL | 0.20 | 0.100 |
| Spiromesifen | PASS | < MRL | 0.20 | 0.100 |
| Spirotetramat | PASS | < MRL | 0.20 | 0.100 |
| Spiroxamine | PASS | < MRL | 0.20 | 0.100 |
| Tebuconazole | PASS | < MRL | 0.40 | 0.100 |
| Thiacloprid | PASS | < MRL | 0.20 | 0.100 |
| Thiamethoxam | PASS | < MRL | 0.20 | 0.100 |
| Trifloxystrobin | PASS | < MRL | 0.20 | 0.100 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #152474 | Date Tested: 10/17/2025 11:40 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC
 401 North Middletown Road, Building 60B
 Pearl River, NY 10965
www.greenanalyticsllc.com
 License #: OCM-CPL-00013
 ISO 17025 Certificate No.: 4356.09

Mycotoxins: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|------------------|-----------|---------------|--------------|------------|
| Ochratoxin | PASS | < MRL | 0.02 | 0.010 |
| Total Aflatoxins | PASS | < MRL | 0.02 | 0.010 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #152475 | Date Tested: 10/17/2025 11:42 AM

Heavy Metals: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)

| Analyte | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|----------|-----------|---------------|--------------|------------|
| Chromium | PASS | < MRL | 110.0 | 8.00 |
| Nickel | PASS | < MRL | 5.0 | 1.00 |
| Copper | PASS | 8.192 | 30.0 | 8.00 |
| Arsenic | PASS | < MRL | 0.2 | 0.10 |
| Cadmium | PASS | < MRL | 0.2 | 0.10 |
| Antimony | PASS | < MRL | 2.0 | 1.00 |
| Mercury | PASS | < MRL | 0.1 | 0.05 |
| Lead | PASS | < MRL | 0.5 | 0.20 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #152473 | Date Tested: 10/17/2025 08:23 AM

Microbiology - Plating: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Microbial analysis utilizing microbial enumeration (SOP-700-NY)

| Analyte | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|------------------------|-----------|-----------------|---------------|-------------|
| Total Aerobic Bacteria | PASS | 100 | None | 100.0 |
| Total Yeast & Mold | PASS | 26364 | None | 100.0 |

Microbiology - qPCR:

Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)

| Analyte | Pass/Fail | Results (CFU/g) | Limit (CFU/g) | MRL (CFU/g) |
|---|-----------|-----------------|---------------|-------------|
| Salmonella spp | PASS | Absent | Absent | 1.0 |
| Shiga toxin-producing E. coli | PASS | Absent | Absent | 1.0 |
| Aspergillus (fumigatus, flavus, niger, terreus) | PASS | Absent | Absent | 1.0 |

Test IDs: #152482, #152481, #152484, #152483 | Date Tested: 10/23/2025 03:49 PM, 10/20/2025 08:48 AM, 10/21/2025 11:34 AM, 10/19/2025 12:45 PM

MRL = Minimum reporting limit/limit of quantification

Moisture: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)

| Analyte | Pass/Fail | Result (%) | Limit (%) |
|----------|-----------|------------|-----------|
| Moisture | PASS | 10.4 | 15 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #152476 | Date Tested: 10/17/2025 09:12 AM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Water Activity: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)

| Analyte | Pass/Fail | Result (a_w) | Limit (a_w) |
|----------------|-----------|------------------|-----------------|
| Water Activity | PASS | 0.40 | 0.65 |

MRL = Minimum reporting limit/limit of quantification

Test ID: #152472 | Date Tested: 10/17/2025 09:40 AM

Filth and Foreign Material: SlapThatAss SR 3.5G Jar (20251015-HVCN-021)

PASS

Filth and Foreign Material analysis utilizing microscopy (SOP-057-NY)

| Analyte | Results | Limit | Pass/Fail |
|---------------------------------|---------|-------|-----------|
| Foreign Material (other, % m/m) | ND | 2 | PASS |
| Foreign Material (stems, % m/m) | ND | 5 | PASS |
| Mammalian Excreta (mg/lb) | ND | 1 | PASS |

ND = Not Detected

Test ID: #152471 | Date Tested: 10/17/2025 09:03 AM



Matthew Elmes
Lab Director
10/23/2025



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.